Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

"Weathervane" MINERAL FEEDER for cattle

FARM BUILDING
PLAN NO. 5844
(1 SHEET)





SIDE ELEVATION

This mineral feeder swivels so that the opening faces away from the wind. It is assembled from a 55-gallon drum, an old automobile front wheel and axle assembly, and other odds and ends around the farm.

Burrs and sharp edges should be removed from the opening in the drum. The inside of the drum should be coated with asphalt paint. Other metal parts should be protected with a preservative paint that does not contain lead.

For proper operation, the feeder should be set on a level surface.



TOP VIEW

Complete working drawings may be obtained through your county agent or from the Extension agricultural engineer at most State agricultural colleges. There is usually a small charge.

ORDER PLAN NO. 5844, "WEATHERVANE" MINERAL FEEDER FOR CATTLE

If working drawings of this plan are not available in your State, write to the U. S. Department of Agriculture, Agricultural Engineering Research Division, Plant Industry Station, Beltsville, Md. The U. S. Department of Agriculture does not distribute drawings, but will direct you to a State that does distribute them.

Issued October 1958

UNITED STATES DEPARTMENT OF AGRICULTURE Miscellaneous Publication No. 775

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. . . . . Price 5 cents